

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2455	- Lighted Buoy 6	44 29 48 N 68 25 43 W	FI R 4s		2	Red.	
	*		*		*	*	34/04
<b>HEMPSTEAD HARBOR TO TALLMAN ISLAND (Chart 12366)</b>							
<b>East River Main Channel</b>							
27215	Whitestone Point Light 1	40 48 06 N 73 49 10 W	F G	56	7	SG on black skeleton tower.	BELL: 1 stroke ev 15s. Remotely controlled.
			*		*		* 34/04
30320	-Lighted Buoy 20	40 46 49 N 72 45 23 W			2		Replaced by nun from Nov. 01 to Apr. 15.
			*		*	*	* 34/04
CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*689	Cape Lookout Shoals Lighted Research Buoy	34 20 36 N 76 25 12 W	FI Y 4s			Yellow.	Private aid.
							34/04
1317	Longport Buoy 7					Green can.	
							* 34/04
1318	Longport Buoy 8					Red nun.	
							* 34/04
1319	Longport Buoy 9					Green can.	
							* 34/04
2615	REEDY ISLAND GAP LIGHT 2		Q R	15	4	TR on pile.	Light equipment removed when endangered by ice.
			*		*		34/04
3897	EDGEWATER UPPER RANGE REAR PASSING LIGHT		Oc W 4s	21	5	On same structure as Edgewater Upper Range Rear Light.	
					*		34/04
3975	LEHIGH UPPER RANGE FRONT LIGHT	40 05 41 N 74 51 16 W	Q G	33		On multi-pile structure.	Visible on rangeline only Passing light visible all around. Lighted throughout 24 hours.
				*			34/04
16890	- Daybeacon 4					TR on pile.	
	*					*	34/04
16895	- Daybeacon 5					SG on pile.	
	*					*	34/04

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
16905	- Daybeacon 6					TR on pile.	
	*					*	34/04
16910	- Daybeacon 8					TR on pile.	
	*					*	34/04
19635	- LIGHT 12		FI R 4s	15	4	TR on pile.	
					*		34/04
19650	- LIGHT 16		FI R 2.5s	15	4	TR on pile.	
					*		34/04
19655	- LIGHT 17		FI G 2.5s	15	4	SG on pile.	
					*		34/04
19660	- LIGHT 18		FI R 4s	15	4	TR on pile.	
					*		34/04
21770	- CHANNEL LIGHT 3		FI G 4s	15	4	SG on pile.	Light equipment removed when endangered by ice.
				*			34/04
22345	- LIGHT 2	37 53 14 N 75 43 52 W	FI R 4s	15	5	TR on multi-pile structure.	Light equipment removed from Dec. 1 to Mar. 15.
						*	34/04
22355	- LIGHT 5	37 53 46 N 75 42 03 W	FI G 4s	15	4	SG on multi-pile structure.	Light equipment removed from Dec. 1 to Mar. 15.
						*	34/04
22360	- LIGHT 6	37 54 05 N 75 41 18 W	FI R 4s	15	3	TR on multi-pile structure.	Light equipment removed from Dec. 1 to Mar. 15.
					*	*	34/04
32375	ROYAL SHOAL LIGHT 5RS	35 09 17 N 76 09 37 W	Q G	40	4	SG on multi-pile structure.	Ra ref.
				*			34/04

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
7890	SHANDS PIER LIGHT		FI W 4s	16		On pier.	Private aids.
	*						34/04
*39537	- Buoy 81B					Green can with yellow square.	34/04
*39539	- Buoy 81C					Green can with yellow square.	34/04

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
 Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
39545	- LIGHT 82	29 42 45 N 81 14 39 W	FI R 4s	12	3	TR-TY on pile.	
							34/04
40473	- Daybeacon 68A					TR on pile.	
	*					*	34/04
40733	- Buoy 37A						Remove from list.
							*
							34/04
	*Add Heading: *Loxahatchee River						
*46255	- Daybeacon 1	26 56 52 N 80 05 29 W				SG on pile.	Private aid.
							34/04
*46260	- Daybeacon 2					TR on pile.	Private aid.
							34/04
*46262	- Daybeacon 3					SG on pile.	Private aid.
							34/04
*46265	- Lighted Buoy 4	26 56 55 N 80 05 34 W	FI R 6s		3	Red.	Private aid.
							34/04
*46270	- Daybeacon 5	26 57 00 N 80 05 54 W				SG on pile.	Private aid.
							34/04
*46275	- Daybeacon 6					TR on pile.	Private aid.
							34/04
*46280	- Daybeacon 7					SG on pile.	Private aid.
							34/04
*46285	- Junction Lighted Buoy A	26 57 00 N 80 05 53 W	FI R(2+1)6s			Red.	Private aid.
							34/04
*46290	- Daybeacon 9	26 57 00 N 80 06 18 W				SC on pile.	Private aid.
							34/04
*46295	- Daybeacon 10					TR on pile.	Private aid.
							34/04
*46300	- Lighted Buoy 11		FI G 6s			Green.	Private aid.
							34/04
*46305	- Daybeacon 12					TR on pile.	Private aid.
							34/04

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*46307	- Buoy 11A				Green.		Private aid.  34/04
*46310	- Buoy 12A				Red.		Private aid.  34/04
*46312	- Daybeacon 13				SG on pile.		Private aid.  34/04
*46315	- Daybeacon 14				TR on pile.		Private aid.  34/04
*46320	- Daybeacon 15				SG on pile.		Private aid.  34/04
*46325	- Lighted Buoy 16		FI R 6s		Red.		Private aid.  34/04
*Add Heading: *Loxahatchee River North Fork							
*46330	- Daybeacon 2	26 57 00 N 80 05 53 W			TR on pile.		Private aid.  34/04
*46335	- Daybeacon 3				SG on pile.		Private aid.  34/04
*46337	- Daybeacon 4				TR on pile.		Private aid.  34/04
*46340	- Daybeacon 5				SG on pile.		Private aid.  34/04
*46342	- Buoy 6				Red nun.		Private aid.  34/04
*46350	- Daybeacon 8				TR on pile.		Private aid.  34/04
*Add Heading: *Loxahatchee River Southwest Fork							
*46355	- Daybeacon 1	26 56 56 N 80 06 33 W			SG on pile.		Private aid.  34/04
*46358	- Daybeacon 2				TR on pile.		Private aid.  34/04
*46360	- Daybeacon 3				SG on pile.		Private aid.  34/04

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*46365	- Daybeacon 4					TR on pile.	Private aid.  34/04
*46370	- Daybeacon 6					Red nun.	Private aid.  34/04
CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*17704	Buckskin Bayou Buoy WR1	29 17 54 N 91 01 46 W				Green.	  34/04
24245	UPPER CROSSOVER INBOUND RANGE REAR LIGHT 140 yards, 322.2° from front light.		Iso R 6s	60		KRW on skeleton tower on piles.	Visible 4° each side of rangeline.  * 34/04
27925	- SPOIL BANK LIGHT	27 44 02 N 97 16 33 W	FI W 4s	17	5	NW on pile worded DANGER SPOIL AREA.	Ra ref.  * 34/04
*36441	-Buoy 3A 39 feet outside channel limit.					Green can with yellow square.	  34/04
36450	- Buoy 5 39 feet outside channel limit.					Green can with yellow square.	  34/04
	*						34/04
36470	- Buoy 9 39 feet outside channel limit.					Green can with yellow square.	  34/04
	*						34/04
*36471	-Buoy 9A 39 feet outside channel limit.					Green can with yellow square.	  34/04
36480	- Buoy 11 39 feet outside channel limit.					Green can with yellow square.	  34/04
	*						34/04
36495	- Buoy 15 39 feet outside channel limit.					Green can with yellow square.	  34/04
	*						34/04
*36496	-Buoy 15A 39 feet outside channel limit.					Green can with yellow square.	  34/04

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2004

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
36505	- Buoy 17 39 feet outside channel limit.					Green can with yellow square.	
	*						34/04
36520	- Buoy 21 39 feet outside channel limit.					Green can with yellow square.	
	*						34/04
*36522	- Buoy 21A 39 feet outside channel limit.					Green can with yellow square.	
							34/04
36540	- Buoy 23 39 feet outside channel limit.					Green can with yellow square.	
	*						34/04
36565	- Buoy 27 39 feet outside channel limit.					Green can with yellow square.	
	*						34/04
*36571	- Buoy 27A 39 feet outside channel limit.					Green can with yellow square.	
							34/04
36575	- Buoy 29 39 feet outside channel limit.					Green can with yellow square.	
	*						34/04
36616	- Buoy 39A 39 feet outside channel limit.					Green can with yellow square.	
	*						34/04
36625	- Buoy 41 39 feet outside channel limit.					Green can with yellow square.	
	*						34/04
36640	- Buoy 45 39 feet outside channel limit.					Green can with yellow square.	
	*						34/04

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2004

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
330	<i>Pillar Point Harbor Approach Lighted Horn Buoy PP</i>	37 28 18 N 122 30 48 W	<b>Mo (A) W</b>		5	Red and white stripes with red spherical topmark.	HORN: 1 blast ev 30s (3s bl). Operates continuously
	*		*				34/04
2925	PARKER LIGHTHOUSE LIGHT	33 45 36 N 118 11 30 W	<b>Fl W 10s</b>	71		On blue and white building.	Private aid.
	*						34/04

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*3856	- Lighted Buoy 4A		<b>FI R</b> 2.5s		3	Red.	
							34/04
7365	- LIGHT 41	38 11 38 N 121 39 29 W	<b>FI G</b> 4s	15	4	SG on pile.	Ra ref.
		*			*		34/04
9170	- LIGHT 9 50 feet outside channel limit.	43 20 47 N 124 19 09 W	<b>FI G</b> 4s	16	4	SG on dolphin.	
		*			*		34/04
9285	Winchester Bay Harbor Entrance Daybeacon 1	43 41 01 N 124 11 08 W				SG on pile.	
		*					34/04
9315	- LIGHT 15	43 43 26 N 124 09 47 W	<b>FI G</b> 4s	15	4	SG on pile.	
					*		34/04
9321	- LIGHT 19	43 44 43 N 124 09 08 W	<b>FI G</b> 6s	15	4	SG on pile.	
		*					34/04
9335	- LIGHT 21	43 44 55 N 124 07 54 W	<b>FI G</b> 2.5s	16	4	SG on pile structure.	Visible all around; higher intensity beam oriented up channel.
		*					34/04
9345	- DIKE LIGHT 23	43 44 32 N 124 07 47 W	<b>FI G</b> 4s	17	4	SG on pile structure.	
		*			*		34/04
9350	- DIKE LIGHT 24	43 44 07 N 124 07 52 W	<b>FI R</b> 2.5s	16	3	TR on dolphin.	
		*					34/04
9360	- LIGHT 26	43 43 22 N 124 07 36 W	<b>FI R</b> 4s	15	3	TR on dolphin.	
		*					34/04
9375	Scholfield Creek Channel Daybeacon 3	43 42 36 N 124 06 22 W				SG on pile.	
		*					34/04
9395	SMITH RIVER LIGHT 2	43 42 23 N 124 05 10 W	<b>FI R</b> 4s	16	3	TR on skeleton tower.	
					*		34/04
9520	- Channel Daybeacon 14	43 59 22 N 124 07 16 W				TR on pile.	
		*					34/04

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
9620	- INNER RANGE FRONT LIGHT	44 37 44 N 124 02 59 W	<b>Q R</b>	17		KRB on pile structure.	Visible 4° each side of rangeline.
		*					34/04
	<b>Yaquina River</b>						
9680	- LIGHT 17	44 36 23 N 124 00 38 W	<b>FI G</b> 4s	15	4	SG on pile.	
		*					34/04
9690	- LIGHT 20	44 35 26 N 124 01 21 W	<b>FI R</b> 4s	15	4	TR on dolphin.	
		*					34/04
9715	- Buoy 26	44 34 49 N 124 00 11 W				Red nun.	
		*					34/04
9730	- Buoy 30	44 34 18 N 123 58 45 W				Red nun.	
		*					34/04
9735	- Daybeacon 31	44 34 22 N 123 58 06 W				SG on pile.	Ra ref.
		*					34/04
9742	- Buoy 34	44 34 40 N 123 57 54 W				Red nun.	
		*					34/04
9750	- LIGHT 38	44 35 04 N 123 57 29 W	<b>FI R</b> 2.5s	22	3	TR on pile.	
		*					34/04
9760	- Daybeacon 43	44 35 22 N 123 56 30 W				SG on pile.	
		*					34/04
9770	- Channel Buoy 45	44 35 36 N 123 56 15 W				Green can.	
		*					34/04
*28006.3	NOAA DART Lighted Buoy	20 30 22 N 157 54 43 W	<b>FI Y</b> 3s			Yellow.	Privated aid.
							34/04
28006.5	NOAA Data Lighted Buoy PICO	20 30 10 N 157 59 47 W	<b>FI Y</b> 3s			Yellow.	Private aid.
		*	*				34/04
29110	- Channel Buoy 3					Green.	Private aid.
	*			*		*	34/04

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
29115	- Channel Buoy 4				Red.		Private aid.
	*			*		*	34/04
CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
17079.1	- Buoy 7				Green can.		
	*					*	34/04
21354	Channel Lighted Buoy 2A	45 19 55 N 86 56 09 W	<b>F I R</b> 2.5s		3 Red.		Maintained from 7 May to Nov. 21.
					*	*	34/04

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
 Denotes a new entry when preceding the station number.